Coast Guard, DHS §28.905

maintained and available to Coast Guard representatives upon request.

§ 28.890 Examination and certification of compliance.

- (a) At least once in every two years each ATA vessel must be examined for compliance with the regulations of this subchapter by the ABS, a similarly qualified organization, or a surveyor of an accepted organization.
- (b) Each individual performing an examination under paragraph (a) of this section, upon finding the vessel to be in compliance with the requirements of this chapter, must provide written certification of compliance to the owner or operator of the vessel.
- (c) Each certification of compliance issued under paragraph (b) of this section must:
- (1) Be signed by the individual that performed the examination;
- (2) Include the name of the organization the individual performing the examination represents or the name of the accepted organization the individual belongs to; and
- (3) State that the vessel has been examined and found to meet the specific requirements of this chapter.
- (d) A certification of compliance issued under paragraph (b) of this section must be retained on board the vessel until superseded.
- (e) A copy of the certification of compliance issued under paragraph (b) of this section must be forwarded by the organization under whose authority the examination was performed to the Coast Guard District Commander (Attention: Fishing Vessel Safety Coordinator) in charge of the district in which the examination took place.

§28.895 Loadlines.

- (a) A fish tender vessel of not more than 500 gross tons, engaged in the Aleutian trade, is not subject to the loadline provisions of 46 U.S.C. Chapter 51 if it is not on a foreign voyage and the vessel:
- (1) Operated in this trade before September 8, 1990; or
- (2) Was purchased to be used in this trade before September 8, 1990 and entered into service before June 1, 1992; and
- (3) Has not undergone a major conversion; and
- (4) Has not had a loadline assigned at any time before November 16, 1990.
- (b) The exemption from the loadline provision of 46 U.S.C. Chapter 51 set forth in paragraph (a) of this section expires on January 1, 2003.

§ 28.900 Post accident inspection.

The requirements for providing notice and reporting of marine casualties are contained in part 4 of this chapter. The owner of or master of the vessel shall ensure that the survey guidance provided by a Coast Guard Representative is effectively carried out, that the material and the workmanship of such repairs or renewals are in all respects satisfactory, and that the vessel complies in all respects with the regulations in this part.

§28.905 Repairs and alterations.

No repairs or alterations affecting the safety of the vessel with regard to the hull, machinery, or equipment, shall be made without the notification of a Coast Guard Representative.

INDEX

SUBCHAPTER C-UNINSPECTED VESSELS

EDITORIAL NOTE: This listing is provided for informational purposes only. It is compiled and kept current by the U.S. Coast Guard, Department of Homeland Security. This index is updated as of October 1, 2008.

Part, subpart, or section

\mathbf{A} Alarms: High water 28.250 \mathbf{B} \mathbf{C} Canadian pleasure craft temporarily using navigable waters of the Communication equipment.......28.245, 28.375 Cushion, buoyant (see Life preserver) D \mathbf{E} Electrical power:

46 CFR Ch. I (10-1-08 Edition)

Main source 28.355 Overcurrent protection 28.365 Standards for vessels less than 79 ft 28.345 Wiring methods and materials 28.370 Electronic position fixing devices 28.260 Embarkation station 28.395 Emergency checkoff list 26.03-2 Emergency instructions 28.265 EPIRBs 25.26, 28.150 Equivalents 24.15 Escape, means of 28.390				
r				
Fire detection systems 28.325 Fireman's outfit 28.205 Fire protection equipment: 25.30-1 Galley hood 28.330 General provisions 25.30-5, 28.160				
Excess equipment				
Approved type required				
Required 25.35 Freight, carrying for hire, definition 24.10-1 Fuel systems 28.335				
${f G}$				
General alarm28.240Guards for exposed hazards28.215				
Н				
Hand portable fire extinguisher: 25.30-5, 28.70 Approved type required 25.30-10 Classification 25.30-20 Number required 25.30-20, 28.160 Headquarters, definition 24.10-1 Hydraulic equipment 28.405				
I				
International voyage: Requirement for vessels on				
Definition 24.10-1 Instructions and drills 28.270 Immersion suits 25.25, 28.110 Injury placard 28.165				
L				
Lifelines				

Subchapter C Index

Approved type required 25.25-5. 28.105 Condition .25.25-11 Marking .25.25-7, 28.135 Number required .25.25-5, 28.110 Storage .25.25-9, 28.110(b) Lifesaving equipment: .25.25, 28.105, 28.305 Maintenance .25.25, 28.140
Markings
M
Machinery space, ventilation of25.40, 28.340Marine engineering requirements24.20-1Marine inspector, definition24.10-1Motorboat:
$\begin{array}{ccc} \text{Definition} & 24.10\text{-1} \\ \text{Included under term vessel} & 24.10\text{-1} \\ \text{Motor vessel, definition} & 24.10\text{-1} \\ \end{array}$
N
Navigation: 28.225
0
Oceanographic vessel, definition24.10-1Officer in Charge, Marine Inspection, definition24.10-1Operator's license, exhibition of26.20
P
Passenger: Carrying for hire, definition 24.10-1 Definition 24.10-1
R
Radar equipment
Authority for and purpose
${f s}$
Safety orientation
Semiportable fire extinguishing system: 25.30-5 Approved type required 25.30-10 Number required 25.30-20, 28.160 Signaling equipment 28.305 Signaling lights 26.03-10 Special operating requirements 26.03 Stability instructions 28.530 Storm rails 28.410 Structural fire protection:
General

46 CFR Ch. I (10-1-08 Edition)

Vessels with more than 49 persons	28.385			
Survival Craft Equipment				
Launching				
Stowage				
Type and number required				
T				
T				
Tank space, ventilation of	25.40-1, 28.340			
\mathbf{v}				
Ventilation of tanks and engine space	25.40-1, 28.340			
Vessel, definition	24.10-1			
Vest, work	26.30			
Approved unicellular plastic foam				
Stowage	26.30-10			
Use				